## High Efficient, Evergy-Saving

# **ECO HEATER**

Penetrating cold air
from the window sills
when blocked
make indoors
comfortable
and warm

WooJung ENG Co., Ltd.

## Safe, Easy & Power-saving! ECO HEATER

Easy to install! Easy to operate! The new power-saving ECO HEATER! Spend a warm winter with comfortable indoor temperature. Eco friendly compact heater





F

0

R

Τ

Α

B

E

Μ

W


Т

E

Prevention for dew condensation during winter.

ECO HEATER installed on windowsill blocks cold air which helps prevents mold and mildew build up.

### Easy to Install & Easy to Operate No need for inconvenient operation procedures: Simply connect to the power supply socket, turn-on the switch and its ready to use!



Does not affect your house interior.

It does not affect your interior, simply place it below your window because of its simple design it is not offensive to the eyes.


Even room temperature is down by 2°C ECO-HEATER maintains a comfortable environment.

\* The effect de[ends on the room condition.

### Quiet & Safe

Eco Heater is a safe and simple power saving heating aid. It is light, convenient, handy and easy to install. By installing bimetal, temperature can be limited by simply turning the switch ON/OFF preventing over heating. Safe to install on windows using curtains, etc. And will not cause fire.

In case your feet feels cold use the Eco Heater under your office tables, toilet, and any empty space, it is very effective. Maintain comfortable indoor temperature without making a sound. Safe and friendly heater aid even to infants, elderly and pets.



environment where it is installed.



Easy to install on small to medium areas.



If it is does not exceed the ideal constant temperature there is no danger for fire.

# ECO HEATER High Efficient, Energy-saving Heater! Easy to Install! Easy to Operate! ECO HEATER



Heater

- 1. Heat waves are transmitted thru fine embossed surface.
- 2. Highly-effective, long life-span and highly reliable silicon heater.

Model	Length	Power consumption	Weight
600	L=600mm	55W	0.8kg
900	L=900mm	75W	1.1kg
1200	L=1200mm	105W	1.4kg
1500	L=1500mm	125W	1.8kg
1800	L=1800mm	175W	2.1kg

(Other Specifications)

**Power Switch** 

Surface: Aluminium, fireresistance ABS

Heater: Chrome Heater Power Line Length: 2M

%cross-section length (48\*56)mm

\*warranty period is 1 year after purchase

\*The following contents are based on October 2013 Edition Brochure. \*For the shake of products design and specification improvement change may be possible.

XPlease be advised that in relation with the printed photo and real product may differ in color and size.

#### Relevant Safety and Precautions

- ■Before use read the 「manual」 carefully, paste the product before using.
- Electric shock caution: Keep away the product from a wet surface.
- ■Dismantle caution: Don't dismantle the switch of the heater.
- Damage caution: Keep away volatile and flammable subtance from the product, once ignited product is possible to blow up.

### Relevant Installation Matters

If product will be placed under a window, at least 50mm space is needed.



■Don't touch the Heater Surface in Operation because surface temperature of heating part is high & hot. (Never touch Infants and Toddlers, Children)

500-888

290-20 Haseo-ro (Yangsandong), Buk-gu,

Gwangju, Korea

WooJung ENG Co., Ltd.

TEL 82-062-575-6165~6

FAX 82-062-575-6168

E-mail friendeng@naver.com



## WooJung ENG Co.,Ltd.

290-20 Haseo-ro (Yangsandong), Buk-gu, Gwangju, Korea

TEL: 82-062-575-6165~6

FAX: 82-062-575-6168

E-mail: friendeng@naver.com

Homepage: www.friendeng.com